

This presentation was supported by a grant from the U.S. Department of Homeland Security

AGWDigi QUICK SET-UP GUIDE

Software Developed by George Rossopoylos SV2AGW

<http://www.sv2agw.com/ham/default.htm>



PURPOSE

- AGW-DIGI
- Digi Setup
- Connect Via-Digi


Quick Setup

- This presentation is only a “Quick Setup” and operation instruction.
- For the latest updates and information go to <http://www.sv2agw.com/ham/default.htm>

AGW-DIGI

- If a packet station is located where it cannot access the mail box, you can turn on your AGWdigi to be the relay station.
- AGW Digi lets your station operate as a digital repeater or Digipeater

Digi Setup



Digi Setup

AGWDIGIPEATER Properties [?] [X]

BeaconFile
The file Must be DOSTEXT File.
BEACON.TXT
Browse


DigiPeater Calls
MyCalls=You can Enter more than Just a MyCall or Alias.Digi will respond to all of them. Calls May be separated by space or ','
MyCalls → WA6MTY-12
Rejected Calls TEST,NOCALL

Beacon Every
Enter The Time Intervals in Minutes. A value of 0 Disables the Beacon.
60

OK
Cancel


Connect Via-Digi

- When using AGW TERMinal



Connect Via-Digi

- When using Outpost



SUMMARY

- AGW-DIGI
- Digi Setup
- Connect Via-Digi

Questions???



HAMLINK Incident Management System

[http:// WWW.HAMLINKOnline.com](http://WWW.HAMLINKOnline.com)

